

OBLON, SPIVAK, et al Docket No: 246188US2SRD DIV Inventor: Tatsuo SAISHU, et al. Sheet 1 of 5









FIG. 3

OBLON, SPIVAK, et al Docket No: 246188US2SRD DIV Inventor: Tatsuo SAISHU, et al. Sheet 3 of 5



OBLON, SPIVAK, et al Docket No: 246188US2SRD DIV Inventor: Tatsuo SAISHU, et al.

Sheet 4 of 5




FIG. 5

(a)

(b)

		SUCCEEDING							
		BRIGHTNESS LEVEL							
		0	16	32	48	64			
	0	7.	+1.5	+2	+1.5	+1			
PRECEDING BRIGHTNESS LEVEL	16	0		0	0	0			
	32	0	0	<u>_</u>	0	0			
	48	0	. 0	0	<u> </u>	0			
	64	0	0	0	0				

FIG. 6

		SUCCEEDING							
		BRIGHTNESS LEVEL							
	4	0	16	32	48	64			
	0		=0.7	-1	-0.5	-0.3			
PRECEDING	16	0		_0	0	0			
BRIGHTNESS	32	+2	0		_ 0	0			
LEVEL	48	+8	+4	+1		_ 0			
	64	+14	+7	+2	+1	-/			

BRIGHTNESS LEVEL 32 48 0 -0.4-0.5-0.3 -0.2 (c) 0 0 0 PRECEDING 0 16 32 0 0 0 BRIGHTNESS 0 0 0 48 0 **LEVEL** 0 0 0 64

SUCCEEDING

OBLON, SPIVAK, et al Docket No: 246188US2SRD DIV Inventor: Tatsuo SAISHU, et al. Sheet 5 of 5

